

L Number	Hits	Search Text	DB	Time stamp
-	10	703/1 and geometric\$ near model\$ and topolog\$ and boundar\$ and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:09
-	10	703/1 and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 14:57
-	10	703/1 and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve edge surface face solid) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:06
-	10	703/1 and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve) and (edge surface) and (face solid) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:09
-	13	703/2 and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve) and (edge surface) and (face solid) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:04
-	3	703/7 and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve) and (edge surface) and (face solid) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:05
-	1	703/8 and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve) and (edge surface) and (face solid) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:07
-	16	703/2 and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve edge surface face solid) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:07
-	3	703/7 and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve edge surface face solid) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:07
-	1	703/8 and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve edge surface face solid) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:07

-	25	703/\$ and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve) and (edge surface) and (face solid) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:07
-	24	703/\$ and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve) and (edge surface) and (face solid) and space and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:11
-	82	345/420 and geometric\$ near model\$ and topolog\$ and boundar\$ and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:09
-	75	345/420 and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve) and (edge surface) and (face solid) and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:10
-	66	345/420 and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve) and (edge surface) and (face solid) and space and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:11
-	67	345/419 and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve) and (edge surface) and (face solid) and space and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:11
-	95	(345/419 345/420 345/421) and geometric\$ near model\$ and topolog\$ and structur\$ and boundar\$ and (point curve) and (edge surface) and (face solid) and space and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:12
-	15	(345/419 345/420 345/421) and geometric\$ near model\$ and topolog\$ and view and structur\$ and (inner outer) near boundar\$ and (point curve) and (edge surface) and (face solid) and space and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:13
-	9	(345/419 345/420 345/421) and geometric\$ near model\$ and topolog\$ same view and structur\$ and (inner outer) near boundar\$ and (point curve) and (edge surface) and (face solid) and space and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:15
-	0	geometric\$ near model\$ and topolog\$ same view and structur\$ and (inner outer) near boundar\$ and (point with curve) and (edge with surface) and (face with solid) and space and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:32
-	12	geometric\$ near model\$ and topolog\$ same view and structur\$ and (inner outer) near boundar\$ and (point edge face) with (curve surface solid) and space and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:31


-	39	geometric\$ near model\$ and topolog\$ same view and structur\$ and boundar\$ and (point edge face) with (curve surface solid) and space and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 15:31
-	0	geometric\$ near model\$ and topolog\$ same view same proper+\$ same analy\$ same structur\$ same (inner outer) near boundar\$ and base near geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:38
-	0	geometric\$ near model\$ and topolog\$ same view same proper+\$ same analy\$ same structur\$ same boundar\$ and base near geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:39
-	0	geometric\$ near model\$ and topolog\$ same view same proper+\$ same structur\$ same boundar\$ and base near geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:39
-	0	geometric\$ near model\$ and topolog\$ same view and proper+\$ same structur\$ same boundar\$ and base near geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:35
-	0	geometric\$ near model\$ and topolog\$ same view and proper+\$ same structur\$ and boundar\$ and base near geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:39
-	0	geometric\$ near model\$ and topolog\$ same view and proper+\$ and structur\$ and boundar\$ and base near geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:39
-	2	geometric\$ near model\$ and topolog\$ and proper+\$ and structur\$ and boundar\$ and base near geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:37
-	2	geometric\$ near model\$ and topolog\$ and proper+\$ and boundar\$ and base near geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:37
-	2	geometric\$ near model\$ and topolog\$ and boundar\$ and base near geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:37
-	6	geometric\$ near model\$ and topolog\$ and base near geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:37

-	0	geometric\$ near model\$ and topolog\$ same view same propert\$ same analy\$ same structur\$ same (inner outer) near boundar\$ and geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:38
-	0	geometric\$ near model\$ and topolog\$ same view same propert\$ same analy\$ same structur\$ same boundar\$ and geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:39
-	0	geometric\$ near model\$ and topolog\$ same view same propert\$ same structur\$ same boundar\$ and geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:39
-	23	geometric\$ near model\$ and topolog\$ same view and propert\$ same structur\$ and boundar\$ and geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:39
-	30	geometric\$ near model\$ and topolog\$ same view and propert\$ and structur\$ and boundar\$ and geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:41
-	186	geometric\$ near model\$ and topolog\$ and propert\$ and structur\$ and boundar\$ and geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:41
-	0	geometric\$ near model\$ and topolog\$ same propert\$ same structur\$ same boundar\$ and geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:42
-	7	geometric\$ near model\$ and topolog\$ and propert\$ same structur\$ same boundar\$ and geometry and (@ad<20000911 @rlad<20000911)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:42



[Home](#) [about](#) [feedback](#) [login](#)

US Patent & Trademark Office



## Search Results

Search Results for: **[topolog\* and boundar\* and (propert\* or attribute) and geometr\*]**  
 Found **1,774** of **127,944** searched.

**Warning: Maximum result set of 200 exceeded. Consider refining.**

## Search within Results



[Advanced Search](#) [Search Help/Tips](#)

Sort by: Title Publication Publication Date Score













Results 121 - 140 of 200 long listing





1 2 3 4 5 6 7 8 9 10



- |  |      |
|--|------|
| <p><b>121</b> Single step current driven routing of multiterminal signal nets for analog applications<br/>         Thorsten Adler , Erich Barke<br/> <b>Proceedings of the conference on Design, automation and test in Europe</b> January 2000</p>  | 100% |
| <p><b>122</b> A comparison of grid generation techniques<br/>         S. R. Kennon , G. S. Dulikravich<br/> <b>Proceedings of 1986 fall joint computer conference on Fall joint computer conference</b> November 1999</p>  | 100% |
| <p><b>123</b> Recent results in VLSI CAD at MIT<br/>         Richard E. Zippel , Paul Penfield , Lance A. Glasser , Charles E. Leiserson , John L. Wyatt , F. Thomson Leighton , Jonathan Allen<br/> <b>Proceedings of 1986 fall joint computer conference on Fall joint computer conference</b> November 1999</p> | 100% |
| <p><b>124</b> Highlights of CMU research on CAD, CAM and CAT of VLSI circuits<br/>         John Paul Shen<br/> <b>Proceedings of 1986 fall joint computer conference on Fall joint computer conference</b> November 1999</p>   | 100% |
| <p><b>125</b> Integrating craft materials and computation<br/>         Glenn Blauvelt , Tom Wrensch , Michael Eisenberg<br/> <b>Proceedings of the third conference on Creativity &amp; cognition</b> October 1999</p>   | 100% |
| <p><b>126</b> Lodestar: an octree-based level of detail generator for VRML<br/>         Dieter Schmalstieg<br/> <b>Proceedings of the second symposium on Virtual reality modeling language</b> February 1997</p>  | 100% |

- 127** Pictorial interfaces: A pictorial query language for geographical databases 100%  
 Fabrizio Di Loreto , Fernando Ferri , Fernanda Massari , Maurizio Rafanelli  
**Proceedings of the workshop on Advanced visual interfaces** May 1996
- 128** Iconic Techniques for Feature Visualization 100%  
 Frits H. Post , Frank J. Post , Theo Van Walsum , Deborah Silver  
**Proceedings of the 6th conference on Visualization '95** October 1995
- 129** Fast Multiresolution Surface Meshing 100%  
 Markus H. Gross , Roger Gatti , Oliver Staadt  
**Proceedings of the 6th conference on Visualization '95** October 1995
- 130** Interval volume: a solid fitting technique for volumetric data display and analysis 100%  
 I. Fujishiro , Y. Maeda , H. Sato  
**Proceedings of the 6th conference on Visualization '95** October 1995
- 131** Voxel based object simplification 100%  
 Taosong He , Lichan Hong , A. Kaufman , A. Varshney , S. Wang  
**Proceedings of the 6th conference on Visualization '95** October 1995
- 132** Interactive Maximum Projection Volume Rendering 100%  
 Wolfgang Heidrich , Michael McCool , John Stevens  
**Proceedings of the 6th conference on Visualization '95** October 1995
- 133** Automatic generation of triangular irregular networks using greedy cuts 100%  
 C. T. Silva , J. S. B. Mitchell , A. E. Kaufman  
**Proceedings of the 6th conference on Visualization '95** October 1995
- 134** Interval Set: A Volume Rendering Technique Generalizing Isosurface Extraction 100%  
 Baining Guo  
**Proceedings of the 6th conference on Visualization '95** October 1995
- 135** Applications: Introducing alpha shapes for the analysis of path integral Monte Carlo results 100%  
 Patrick J. Moran , Marcus Wagner  
**Proceedings of the conference on Visualization '94** October 1994
- 136** Potpourri: Properties of the voronoi diagram cluster buster 100%  
 Kelly A. Lyons , Henk Meijer , David Rappaport  
**Proceedings of the 1993 conference of the Centre for Advanced Studies on Collaborative research: distributed computing - Volume 2** October 1993
- 137** Efficient Delaunay triangulation using rational arithmetic 100%  
 Michael Karasick , Derek Lieber , Lee R. Nackman  
**ACM Transactions on Graphics (TOG)** January 1991  
 Volume 10 Issue 1
- 138** Modeling concurrency with geometry 100%  
 Vaughn Pratt  
**Proceedings of the 18th ACM SIGPLAN-SIGACT symposium on Principles of programming**

**languages** January 1991**139** Contour tracing by piecewise linear approximations 100% David P. Dobkin , Allan R. Wilks , Silvio V. F. Levy , William P. Thurston  
**ACM Transactions on Graphics (TOG)** October 1990  
Volume 9 Issue 4**140** Extended free-form deformation: a sculpturing tool for 3D geometric modeling 100% Sabine Coquillart  
**ACM SIGGRAPH Computer Graphics , Proceedings of the 17th annual conference on Computer graphics and interactive techniques** September 1990  
Volume 24 Issue 4

---

**Results 121 - 140 of 200****long listing**  
Prev  
Page**1 2 3 4 5 6 7 8 9 10**  
Next  
Page


---

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.



> home > about > feedback > login

US Patent & Trademark Office



## Search Results

Search Results for: **[topolog\* and boundar\* and (propert\* or attribute) and geometr\*]**  
 Found **1,774** of **127,944** searched.

**Warning: Maximum result set of 200 exceeded. Consider refining.**

## Search within Results



> Advanced Search > Search Help/Tips

Sort by: Title Publication Publication Date Score

Results 141 - 160 of 200 long listing



1 2 3 4 5 6 7 8 9 10



- 141** Direct WYSIWYG painting and texturing on 3D shapes 100%  
 Pat Hanrahan , Paul Haeberli  
**ACM SIGGRAPH Computer Graphics , Proceedings of the 17th annual conference on Computer graphics and interactive techniques** September 1990  
 Volume 24 Issue 4
- 142** Strength guided motion 100%  
 Philip Lee , Susanna Wei , Jianmin Zhao , Norman I. Badler  
**ACM SIGGRAPH Computer Graphics , Proceedings of the 17th annual conference on Computer graphics and interactive techniques** September 1990  
 Volume 24 Issue 4
- 143** Generalized B-spline surfaces of arbitrary topology 100%  
 Charles Loop , T. D. DeRose  
**ACM SIGGRAPH Computer Graphics , Proceedings of the 17th annual conference on Computer graphics and interactive techniques** September 1990  
 Volume 24 Issue 4
- 144** Merging BSP trees yields polyhedral set operations 100%  
 Bruce Naylor , John Amanatides , William Thibault  
**ACM SIGGRAPH Computer Graphics , Proceedings of the 17th annual conference on Computer graphics and interactive techniques** September 1990  
 Volume 24 Issue 4
- 145** Gauss: a simple high performance switch architecture for ATM 100%  
 R. J. F. de Vries  
**ACM SIGCOMM Computer Communication Review , Proceedings of the ACM symposium on Communications architectures & protocols** August 1990  
 Volume 20 Issue 4



- 146** Definition of image interpolation strategies in APL 100%  
 P. Bottoni , P. Mussio , M. Protti  
**ACM SIGAPL APL Quote Quad , Conference proceedings on APL 90: for the future** May 1990  
 Volume 20 Issue 4
- 147** Optimal cooperative search in fractional cascaded data structures 100%  
 T. Tamassia , J. S. Vitter  
**Proceedings of the second annual ACM symposium on Parallel algorithms and architectures**  
 May 1990
- 148** The combinatorial complexity of hyperplane transversals 100%  
 Sylvain E. Cappell , Jacob E. Goodman , János Pach , R. Pollack , Micha Sharir , Rephael Wenger  
**Proceedings of the sixth annual symposium on Computational geometry** May 1990
- 149** A trivial knot whose spanning disks have exponential size 100%  
 Jack Snoeyink  
**Proceedings of the sixth annual symposium on Computational geometry** May 1990
- 150** Finding compact coordinate representations for polygons and polyhedra 100%  
 Victor Milenkovic , Lee R. Nackman  
**Proceedings of the sixth annual symposium on Computational geometry** May 1990
- 151** Selecting distances in the plane 100%  
 Pankaj K. Agarwal , Boris Aronov , Micha Sharir , Subhash Suri  
**Proceedings of the sixth annual symposium on Computational geometry** May 1990
- 152** Approximate motion planning and the complexity of the boundary of the union of 100%  
 simple geometric figures  
 Helmut Alt , Rudolf Fleischer , Michael Kaufmann , Kurt Mehlhorn , Stefan Näher , Stefan Schirra ,  
 Christian Uhrig  
**Proceedings of the sixth annual symposium on Computational geometry** May 1990
- 153** Maximin location of convex objects in a polygon and related dynamic Voronoi 100%  
 diagrams  
 Hiromi Aonuma , Hiroshi Imai , Keiko Imai , Takeshi Tokuyama  
**Proceedings of the sixth annual symposium on Computational geometry** May 1990
- 154** Computational complexity of combinatorial surfaces 100%  
 Gert Vegter , Chee K. Yap  
**Proceedings of the sixth annual symposium on Computational geometry** May 1990
- 155** Optimal communication algorithms for regular decompositions on the hypercube 100%  
 G. C. Fox , W. Furmanski  
**Proceedings of the third conference on Hypercube concurrent computers and applications:  
 Architecture, software, computer systems, and general issues - Volume 1** January 1988
- 156** Rotation distance, triangulations, and hyperbolic geometry 100%  
 D D Sleator , R E Tarjan , W P Thurston  
**Proceedings of the eighteenth annual ACM symposium on Theory of computing** November 1986

**157** Topologically sweeping and arrangement

100%



H Edelsbrunner , L J Guibas

**Proceedings of the eighteenth annual ACM symposium on Theory of computing** November 1986**158** Scene analysis and geometric homology

100%



H Crapo , J Ryan

**Proceedings of the second annual symposium on Computational geometry** August 1986**159** A new efficient motion-planning algorithm for a rod in polygonal space

100%



S Sifrony , M Sharir

**Proceedings of the second annual symposium on Computational geometry** August 1986**160** Smoothing of polyhedral models

100%



P O Fjällström

**Proceedings of the second annual symposium on Computational geometry** August 1986

---

**Results 141 - 160 of 200****long listing**  
Prev  
Page**1 2 3 4 5 6 7 8 9 10**  
Next  
Page

---

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.